1: Melamid K-4 (no date) 1953 MK4 Trucial Oman MK 4
Qatar MK 3

FIG. 1—Location map of Trucial 'Oman and Qatar, showing various reported boundaries.

number of cattle is small. Wells are far apart; many are brackish, and only a few have sufficient water for surface or subsurface irrigation. Thus the whole peninsula of Qatar contains only two or three struggling date gardens. Larger wells are reported below the foothills of the mountains of 'Oman, which explain the more extensive date gardens there (similar to those of the Batinah Coast, on the east side of the mountain range) and the cultivation of some cereals. The total population is small and largely migratory. Estimates range from 7000 to 25,000 for Qatar, and from 40,000 to 105,000 for the remainder of the coast, concentrated in the northeastern part; from the base of the Qatar peninsula to Abu Dhabi the coast is reported to be virtually empty of human beings today, except for a few Bedouins migrating from the inland wells of Liwa.[1]

Because of the scanty endowment of the land, occupations deriving revenue from the sea became dominant. The port of Sharjah was reported to send 350 boats to the pearl fishery and to have in addition about a hundred fishing boats.[2] Pearling is generally limited to a small but indented stretch of coast near this port, and receipts are believed to fluctuate substantially from year to year.[3] The growth of both fishing and pearling is assumed to be rela-

[1] W[ilfred] Thesiger: Across the Empty Quarter, *Geogr. Journ.*, Vol. 111, 1948, pp. 1–21; reference on p. 9.

[2] S. B. Miles: The Country and Tribes of the Persian Gulf (2 vols., London, 1919), Vol. 2, p. 442.

[3] Raymond O'Shea: The Sand Kings of Oman (London, 1947), p. 132.

133 offshore. The interior country in the north is hilly, with an average elevation of about 500 feet, but toward the southwest it becomes progressively flatter and more desolate. The portion from Abu Dhabi to Khor al Odaid is barren and virtually uninhabited.

132 The climate is particularly trying in the summer months from May to October, when temperatures of 115° F. and humidity readings of 90 to 98 per cent are frequently recorded. In contrast, the days from November to February are agreeably cool, while the nights often are cold. The rainfall is irregular, and normally approximates 4 to 5 inches a year. It is usually concentrated in sudden and violent storms during the mid-winter months.

POPULATION AND SOCIO-ECONOMIC CONDITIONS

161 162 The population of Trucial Oman is not accurately known, but in 1951 it was estimated at about 80,000, including Bedouin 144 tribes totaling possibly 8,000. The settled inhabitants are of mixed racial stock. They are predominantly Arabs, but Negro admixtures, descendants of former slaves from Africa, and communities of Baluchis, Iranians and Indians are prominent. Except for a few Hindus, the majority are Moslems. Most of the Arabs belong to the Wahhabi branch of the Sunni sect of Islam.

795 468 228 The chief occupations of the people are pearl diving, fishing, shipbuilding and date cultivation. Some of the best pearling reefs in the Persian Gulf are found off the Trucial Coast, and Dibai long has been recognized as the center of activity in the southern Gulf region. The industry has declined within recent years, but, in more favorable times, thousands of pearling vessels are said to have put out from Trucial Oman ports each season from early summer to November.

241 Agriculture is of secondary importance, being confined to areas in which water is available for irrigation. Date groves exist along the coast as far west as Abu Dhabi, and small amounts of millet, wheat, tobacco

63:Simmons et al G-5 (1941-1951) 1954
M1 Middle East
TRUCIAL OMAN MK4

164 Over 50 per cent of the individuals treated
[758] in the oil company dispensary in 1950 were suffering from conjunctivitis.

164 Skin infections are prevalent. Where
312 water is scarce the Moslem tribes sometimes
228 employ sand in the ablutions required according to religious rites. As a consequence, many acquire infections in existing abrasions of the skin. Ulcers on legs and arms are observed repeatedly. Skin diseases are reported to be particularly evident among the pearl divers.

164 Leprosy is present, but no studies have
361 been made to determine the distribution of the infection. Some tribes are said to ostracize lepers and to require them to live in segregated colonies.

Diseases Spread by Arthropods

164 Malaria is highly endemic in the towns
136 and agricultural areas, while extensive outbreaks are reported from time to time. Transmission probably is most active from April to June and from October to January, as in the oases on the eastern coast of Saudi Arabia. All forms of the disease are encountered, but outbreaks usually are attributed to *Plasmodium falciparum*. *P. vivax* predominated among the cases in which the type was determined at the oil company dispensary in 1950. Among 17 cases treated in that year, 5 were classified as due to *P. vivax*; 3, to *P. malariae*; 1, to *P. falciparum*; while 8 were not identified.

Outbreaks of sandfly fever and dengue fever are recorded occasionally, but the incidence of other arthropod-borne diseases is uncertain.

SUMMARY

162
● 161
361 Trucial Oman, formerly designated as the "Pirate Coast," comprises 7 independent sheikhdoms on the eastern coast of Arabia, near the entrance to the Persian Gulf. The population is heterogeneous, although predominantly Arab and Moslem. In 1951, it was estimated at 80,000, including about 10 per cent belonging to nomadic Bedouin tribes.

p. 314(B)